

Network regression reveals factors driving the letter correspondence of 16th century reformers

Ramona Roller

Collaborators: Prof. Frank Schweitzer

The European Reformation (1517-1648)


- Transformative movement of society in early modern Europe
 - Division of Catholic Church
 - Major changes in the socio-political system
- Letters were the main means of communication.
- Use them to study the social system in 16th century Europe



Martin Luther's posting of his 95 theses to the church in Wittenberg (1517)

The letter correspondence network of reformers

- Data: 20,000 letters, 3,000 people, sending- and (receiving) dates + locations, 1510 - 1575
- **Network**: directed multi-edge network of interactions
 - nodes: reformers
 - edges: letters




Schematic representation of a sample from the letter correspondence network

The role of geographic distance on letter correspondence

Research question

How do social relations affect the letter correspondence, i.e. the network topology?



Social relations (\mathbf{R}) between sender and receivers to be tested:

• Geographic distance (tested):

Long distances: letters are convenient but costly; Short distances: letters are inconvenient but cheap

• Reciprocity (control):

Social norm of rewarding kind actions

 Religious communities (control): Support for same/different religious denominations E.g. Lutherans, Reformed, Calvinists, Baptists, etc.


Regression approach

Linear regression

- $\mathbf{y} = \beta_0 + \beta_1 \mathbf{x}_1 + \ldots + \beta_p \mathbf{x}_p + \varepsilon$
- E.g. y: number of letters per reformer, x_i: religious denomination, age, etc.
- Problem: Networks do not meet independence assumption

Network regression (Casiraghi, 2017; Casiraghi et al., 2016)


• Statistical model based on generalised hypergeometric network ensembles (gHypE)



Network regression output

- Regression coefficients β_k
 - Quantify importance of relational layers
- Propensity matrix Ω
 - Odds ratio Ω_{ij}/Ω_{mn}: How much more likely are nodes *i* and *j* to be connected compared to nodes *m* and *n*?
 - $\mathbf{\Omega} := \prod_{k=1}^{K} \mathbf{R}_{k}^{\beta_{k}}$

where each relational layer corresponds to one R_k



Predictor construction


- Geographic distance
 - cost (distance 1, #letters 1);
 convenience (distance 1, #letters 1);
 - $\mathbf{R}_{ij}^{(1)} = e^{dist_{ij}}, \ \mathbf{R}_{ij}^{(2)} = e^{dist_{ij}^2}$
 - Ω = R^{(1)β₁} * R^{(2)β₂}: Covers all possible combinations of cost and convenience

Reciprocity

- $\mathbf{R}^{(3)} = \mathbf{A}^{\mathcal{T}}$ (change statistic Snijders, 2006)
- R⁽³⁾_{ij}: number of letters i would have to send to j in order to answer each letter of j to i

8 Religious communities

- Assume homophily
- Same: $\mathbf{R}_{ij}^{(4)} = 10$, different: $\mathbf{R}_{ij}^{(4)} = 1$ Casiraghi, 2017 Chair of Systems Design www.sg.ethz.ch Ramona Roller




Results: reduced model $\Omega_{ij} = (e^{dist_{ij}})^{\beta_1} * (e^{dist_{ij}^2})^{\beta_2}$

	reduced
Distance	
Linear distance	$7.885~(0.159)^{***}$
Quadratic distance	$-17.918 (0.405)^{***}$
AIC	43427.830
McFadden <i>pseudo</i> – R ²	0.009
*** - < 0.001 ** - < 0.01 * - <	0.05

***p < 0.001, **p < 0.01, *p < 0.05

• Optimal intermediate distance: At 168km people are most likely to send letters.

Odds ratio: $\Omega_{168km}/\Omega_{0km} = 1.29$, $\Omega_{168km}/\Omega_{1000km} = 28809$



Results: full model

reduced	full
7.885 (0.159)***	-3.354 (0.176)***
$-17.918\ (0.405)^{***}$	5.032 (0.388)***
	0.461 (0.004)***
	$0.276 (0.016)^{***}$
43427.307	33989.210
0.009	0.224
	7.885 (0.159)*** -17.918 (0.405)*** 43427.307

****p < 0.001, **p < 0.01, *p < 0.05

The full model is better than the reduced as the smaller AIC shows.
The sign flip of the distance predictors shows that the controls are essential.

Summary

1 Insights on the letter correspondence network of reformers


- People are likely to write letters if they ...
 - live close to or far away from each other
 - have high reciprocity
 - support the same religious denomination
- Tested for possible cost-convenience relations

2 Benefits of network regression

- Takes interdependence of samples into account
- Can deal with missing data ($\mathbf{R}_{ij} = 1 \Rightarrow \beta$ has no effect)
- Construction of predictors is not restricted: Use any kind of quantifyable relation, test hypotheses.

\delta Outlook

- Tailor predictor selection towards specific theories of historical research
- Include node attributes as explanatory variables




Take home message

Network regression

gHypE depends on four $N \times N$ matrices

- Adjacency matrix A: given
- **Combinatorial effects matrix =**: covered by configuration model
- Propensity matrix Ω : to be computed from predictor matrices $\mathsf{R}'s$

$$\mathbf{\Omega}\coloneqq\prod_{k=1}^{K}\mathsf{R}_{k}^{eta_{k}}$$



- Odds ratio Ω_{ij}/Ω_{mn}: How much more likely are nodes i and j to be connected compared to nodes m and n?
- Each predictor matrix R_k encodes one relational network layer
- **R**_{ij} can quantify the relation directly or encode some specific assumptions
- The larger R_{ij} the larger the propensity to be connected of node pair ij
- β_k are the estimated regression coefficients quantifying the importance of one layer

Collinearity causes sign flip

	Reciprocity	Religion
Distance		
Linear distance	$-3.758\ (0.172)^{***}$	8.283 (0.164)***
Quadratic distance	$5.584 \ (0.381)^{***}$	$-18.552 \ (0.410)^{***}$
Controls		
Reciprocity	$0.457 \ (0.004)^{***}$	
Religious homophily		$0.219 (0.016)^{***}$
AIC	34229.532	43271.460
McFadden <i>pseudo</i> – R ²	0.219	0.012
*** $p < 0.001$, ** $p < 0.01$, * $p < 0.01$,	0.05 • Corr(line	ar distance, religion) = \cdot
• Corr(linear distance, reciprocity) = 0.2	265 • Corr(qua	dratic distance, religion)
• Corr(quadratic distance, reciprocity) =	= 0.268 • Corr(reci	procity, religion) = -0.00
Chair of Systems Design www.sg.ethz.ch Ramona Roller		<i>IC</i> ² <i>S</i> ² Amsterdam 18/